WSCF
ANALYTICAL RESULTS REPORT

for

Ground Water Protection Program

Richland, WA 99352

Attention: Steve Trent

Analytical: _____

Client Services: _____

All results are reported on an "as received" basis unless otherwise noted in the comment section.

Contract#: ~~FH-EIS-2003-MEM-001~~
Report#: WSCF20031698
Report Date: ~~23-dec-2003~~
Report WGPP/ver. 1
Ground Water Protection Program

WSCF
ANALYTICAL RESULTS REPORT

Attention: Steve Trent
Project: F03-025: F03-025

Group #: WSCF20031698

Sample #	Client ID			CAS #	Test Performed	Matrix	WSCF Method	RQ	Result	Unit	DF	MDL	Analyze	Sample	Receive
Radiochemistry															
W030001224	B17T05	GPP	TRENT	12587-46-1	Gross alpha	SOIL	LA-508-421	U	-0.600	pCi/g	1.00	1.6	12/23/03	12/22/03	12/22/03
W030001224	B17T05	GPP	TRENT	E,T,C	Alpha error by LC	SOIL	LA-508-421		+- 3.6	pCi/g	1.00	0.0	12/23/03	12/22/03	12/22/03
W030001224	B17T05	GPP	TRENT	12587-47-2	Gross beta	SOIL	LA-508-421		8.40	pCi/g	1.00	1.9	12/23/03	12/22/03	12/22/03
W030001224	B17T05	GPP	TRENT	E,T,C	Beta error by LC	SOIL	LA-508-421		+- 5.0	pCi/g	1.00	0.0	12/23/03	12/22/03	12/22/03

MDL=Minimum Detection Limit U - Analyzed for but not detected above limiting criteria.
RQ=Result Qualifier

DF=Dilution Factor

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

Report WGPP/ver. 1
Ground Water Protection Program

WSCF
ANALYTICAL COMMENT REPORT

Attention:
Project Number

Group #: 20031698

Sample #	Client ID	Lab Area	Test	Comment

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample
VALTEST - Test Validation
LOGTEST - Login for Tests
TESTDATA - Test Data Entry

WSCF
TENTATIVELY IDENTIFIED PEAK REPORT

Attention:
Project Number :

Group #: 20031698

Sample #	Client ID	Test Name	Peak Name	CAS#	RT	RQ	Result	Units

RQ=Result Qualifier

WSCF
METHOD REFERENCES REPORT

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-508-421 LA-508-421: OPERATION OF THE TRI-CARB MODEL 2500TR LIQUID SCINTILLATION ANALYZER

None No reference to any industry method.

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at http://apweb02/asponlinedocs/wscf/sample%20mgmt/ProcedureMethodCrossReference.pdf. This document includes on-line links to full-text versions of the procedures and methods, where available.

wl3qlog v1 23-dec-2003 10:02:44

WL#	S#	Batch	QC#	Tray Type	Sample#	Test
21061	2	21442		SAMPLE	W030001224	A/B by Liquid Scintillation

WSCF ANALYTICAL LABORATORY QC REPORT

SDG Number: 20031698

SAF Number:

Matrix:
Test:

Sample Date:
Receive Date:

QC Type	Analyte	CAS #	QC Found	QC Yield	Units	Analysis Date	Lower Limit	Upper Limit	RQ

Lab ID:
BATCH QC ASSOCIATED WITH SAMPLE